



AGG Harvest Pool Quality Matrices

2010/11 Season - South Australia



H1

Protein %														
Screenings %	12.00	12.50	13.00	13.50	14.00	14.50	15.00	15.50	16.00	16.50	18.00	19.00	30.00	
0.00	2.50	2.50	2.50	5.50	8.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
1.00	2.00	2.00	2.00	5.00	8.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	
2.00	1.50	1.50	1.50	4.50	7.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	
3.00	1.00	1.00	1.00	4.00	7.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
3.50	0.75	0.75	0.75	3.75	6.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	
4.00	0.50	0.50	0.50	3.50	6.50	9.50	9.50	9.50	9.50	9.50	9.50	9.50	9.50	
4.50	0.25	0.25	0.25	3.25	6.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	
5.00	0.00	0.00		3.00	6.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	
5.50	-0.25	-0.25	-0.25	2.75	5.75	8.75	8.75	8.75	8.75	8.75	8.75	8.75	8.75	
6.00	-0.50	-0.50	-0.50	2.50	5.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	

Moisture	
%	\$
0.00	2.25
8.00	2.25
8.50	2.00
9.00	1.75
9.50	1.50
10.00	1.25
10.50	1.00
11.00	0.75
11.50	0.50
12.00	0.25
12.50	0.00
13.00	0.00
13.50	0.00

H2

Protein %														
Screenings %	10.50	11.00	11.50	12.00	12.50	13.00	13.50	14.00	14.50	15.00	16.00	16.50	30.00	
0.00	2.50	2.50	2.50	5.50	8.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
1.00	2.00	2.00	2.00	5.00	8.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	
2.00	1.50	1.50	1.50	4.50	7.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	
3.00	1.00	1.00	1.00	4.00	7.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
3.50	0.75	0.75	0.75	3.75	6.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	
4.00	0.50	0.50	0.50	3.50	6.50	9.50	9.50	9.50	9.50	9.50	9.50	9.50	9.50	
4.50	0.25	0.25	0.25	3.25	6.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	
5.00	0.00	0.00		3.00	6.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	
5.50	-0.25	-0.25	-0.25	2.75	5.75	8.75	8.75	8.75	8.75	8.75	8.75	8.75	8.75	
6.00	-0.50	-0.50	-0.50	2.50	5.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	

Moisture	
%	\$
0.00	2.25
8.00	2.25
8.50	2.00
9.00	1.75
9.50	1.50
10.00	1.25
10.50	1.00
11.00	0.75
11.50	0.50
12.00	0.25
12.50	0.00
13.00	0.00
13.50	0.00

APW1

Protein %														
Screenings %	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00	14.00	15.00	16.00	30.00	
0.00	2.50	2.50	2.50	5.50	8.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	11.50	
1.00	2.00	2.00	2.00	5.00	8.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	
2.00	1.50	1.50	1.50	4.50	7.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	
3.00	1.00	1.00	1.00	4.00	7.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
3.50	0.75	0.75	0.75	3.75	6.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	9.75	
4.00	0.50	0.50	0.50	3.50	6.50	9.50	9.50	9.50	9.50	9.50	9.50	9.50	9.50	
4.50	0.25	0.25	0.25	3.25	6.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	9.25	
5.00	0.00	0.00		3.00	6.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	9.00	
5.50	-0.25	-0.25	-0.25	2.75	5.75	8.75	8.75	8.75	8.75	8.75	8.75	8.75	8.75	
6.00	-0.50	-0.50	-0.50	2.50	5.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	8.50	

Moisture	
%	\$
0.00	2.25
8.00	2.25
8.50	2.00
9.00	1.75
9.50	1.50
10.00	1.25
10.50	1.00
11.00	0.75
11.50	0.50
12.00	0.25
12.50	0.00
13.00	0.00
13.50	0.00

ASW1

Protein %														
Screenings %	6.00	7.00	8.00	8.80	9.00	9.80	10.00	12.50	13.00	14.00	15.00	16.00	30.00	
0.00	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	
1.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	
2.00	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	
3.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
3.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	
4.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
4.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
5.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5.50	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	-0.25	
6.00	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	-0.50	

MOISTURE	
%	\$
0.00	2.25
8.00	2.25
8.50	2.00
9.00	1.75
9.50	1.50
10.00	1.25
10.50	1.00
11.00	0.75
11.50	0.50
12.00	0.25
12.50	0.00
13.00	0.00
13.50	0.00